

Display Format	Model No.	Size	Outline Dimensions	Viewing Area	Viewing Angle	Interface	Control IC	Control-Board	Brightness	Touchscreen	Operating Temperature
128×160	SF18FTLAADNNO	1.77	34×45.83	31.83×41.42	6H	MCU	ST7735S	No	500	No	-20~70
240×320	SF24FTLAJDNN0	2.4	42.72×60.26	37.72×49.96	6H	MCU	ILI9341	No	200	No	-20~70
240×320	SF24HTLAJDNN0	2.4	42.72×60.26	37.72×49.96	6H	MCU	ILI9341	No	500	No	-20~70
240×320	SF24KTLAJDNN0	2.4	42.72×60.26	37.72×49.96	6H	SPI	Himax8347-I	No	500	No	-20~70
240×320	SF28ETLAJDNN0	2.8	50×69.2	44.2×58.6	6H	MCU	ILI9341	No	500	No	-20~70
240×320	SF28ETLAJDNT0	2.8	50×69.2	44.8×63.1	6H	MCU	ILI9341	No	350	RTP	-20~70
240×320	SF28GTLAJDNN0	2.8	50×69.2	44.2×58.6	6H	SPI	Himax8347-I	No	500	No	-20~70
240×320	SF32CTLAJDNT0	3.2	55.04×77.6	50.66×66.86	6H	MCU	ILI9341	No	180	RTP	-20~70
320×480	F35HTLAIDNNO	3.5	52.96×81.34	52.36×76.64	6H	MCU	ILI9488	No	320	No	-20~70
320×240	SF35LTIACDNN0	3.5	76.9×63.9	73.1×55.5	12H	RGB	No	Option	420	No	-20~70
320×240	SF35LTIACDNT0	3.5	76.9×63.9	73.1×55.5	12H	RGB	No	Option	300	RTP	-20~70
320×240	SF35LTIACDNCE	3.5	76.84×63.84	71×53	12H	RGB	No	Option	340	PCAP	-20~70
320×240	SF35LTZACDNN0	3.5	76.9×63.9	73.1×55.5	O-TFT	RGB	No	No	300	No	-20~70
320×240	SF35RTIACDNNB	3.5	76.84×63.84	73.1×55.5	12H	SPI,MCU,RGB	SSD2119	No	400	No	-20~70
320×240	SF35YTIACDNN0	3.5	76.9×63.9	73.1×55.5	12H	RGB	No	No	420	No	-20~70
320×240	SF35YTIACDNT0	3.5	76.9×63.9	72.1×54.6	12H	RGB	No	No	300	RTP	-20~70
480×272	WF43BTIBED0	4.3	105.5×67.2	95.04×53.856	6H	8080	SSD1963	Yes	300	No	-20~70
480×272	WF43ETLAEDNNB	4.3	105.5×67.2	98.8×56.6	6H	RGB	No	Option	500	No	-20~70
480×272	WF43ETLAEDNCC	4.3	105.5×67.2	97×56	6H	RGB	ST7282	Option	400	PCAP	-20~70
480×272	WF43GTIAEDNNO	4.3	105.5×67.2	97.1×55.9	12H	RGB	No	Option	500	No	-20~70
480×272	WF43GTIAEDNT0	4.3	105.5×67.2	97.1×55.9	12H	RGB	No	Option	350	RTP	-20~70
480×272	WF43GTIAEDNGC	4.3	105.5×67.2	97×56	12H	RGB	ILI6480B	Option	400	PCAP	-20~70
480×272	WF43VTIAEDNNO	4.3	105.5×67.2	98.9×57.7	12H	RGB	ST7282-G4-1L	No	500	No	-20~70
480×272	WF43VTIAEDNT0	4.3	105.5×67.2	98.7×57.5	12H	RGB	ST7282-G4-1L	No	350	RTP	-20~70
480×272	WF43VTIAEDNG0	4.3	105.5×67.2	97×56	12H	RGB	ST7282	No	400	PCAP	-20~70
480×272	WF43VTZAEDNNO	4.3	105.5×67.2	98.9×57.7	O-TFT	RGB	ST7282-G4-1L	No	400	No	-20~70
480×272	WF43VTZAEDNT0	4.3	105.5×67.2	98.7×57.5	O-TFT	RGB	ST7282-G4-1L	No	280	RTP	-20~70
480×272	WF43VTZAEDNG0	4.3	105.5×67.2	97×56	O-TFT	RGB	ST7282-G4-1L	Option	300	PCAP	-20~70
480×272	WF43NTIAEDNNO	4.3	105.4×67.1	99.9×57.9	12H	RGB	No	No	150	No	-20~70
480×272	SF43UTIAEDNNO	4.3	105.4×67.1	98.48×57.19	12H	RGB	No	No	600	No	-20~70
480×272	WF43UTIAEDNG0	4.3	105.4×67.1	97×56	12H	RGB	ST7282-G4-1L	No	480	PCAP	-20~70

Display Format	Model No.	Size	Outline Dimensions	Viewing Area	Viewing Angle	Interface	Control IC	Control-Board	Brightness	Touchscreen	Operating Temperature
480×272	SF43YtiaEDNNO	4.3	105.5×67.2	98.9×57.7	12H	RGB	No	No	500	No	-20~70
480×272	SF43YtiaEDNTO	4.3	105.5×67.2	98.7×57.5	12H	RGB	No	No	350	RTP	-20~70
800×480	SF50AtIAGDNN0	5	120.7×76.3		12H	RGB	No	No	420	No	-20~70
800×480	SF50BTIAGDNN0	5	120.7×76.3	110.7×67.5	12H	RGB	No	Option	500	No	-20~70
800×480	SF50BTIAGDNTO	5	120.7×76.3	110.7×67.5	12H	RGB	No	Option	350	RTP	-20~70
800×480	SF50BTIAGDNGC	5	120.7×76.3	109×65.1	12H	RGB	No	Option	400	PCAP	-20~70
800×480	SF50BTIAGDNB0	5	147×104	109×65.8	12H	RGB	LI6122+ILI5960	No	400	PCAP	-20~70
640×480	SF56BTIAFDNNO	5.6	126.5×100	115.9×857.67	12H	TTL	No	No	350	No	-20~70
320×240	SF57BTCECLNNO	5.7	160×109	118.28×88.64	12H	LVDS	No	No	500	No	0~70
320×240	SF57BTIACDNN0	5.7	160×109	118.28×88.64	12H	RGB	No	Option	500	No	-20~70
320×240	SF57BTIACDNTO	5.7	160×109	118.28×88.64	12H	RGB	No	Option	350	RTP	-20~70
320×240	SF57BTIACDNG0	5.7	160×109	117.9×89.1	12H	RGB	No	Option	400	PCAP	-20~70
320×240	SF57CTLECDNNO	5.7	143.5×104.1	118.6×88.9	6H	RGB	No	No	500	No	-20~70
320×240	SF57CTLECDNTO	5.7	143.5×104.1	118.6×88.9	6H	RGB	No	No	350	RTP	-20~70
320×240	SF57DTIACDNN0	5.7	126×101.55	117.9×89.1	12H	RGB	No	Option	500	No	-20~70
320×240	SF57DTIACDNTO	5.7	126×101.55	117.9×89.1	12H	RGB	No	Option	350	RTP	-20~70
320×240	SF57DTIACDNGD	5.7	126×101.55	117.9×89.1	12H	RGB	No	Option	700	PCAP	-20~70
320×240	SF57ETZACDNN0	5.7	141.12×101.55	117.9×89.1	O-TFT	RGB	No	Option	400	No	-20~70
320×240	SF57ETIACDNN0	5.7	141.12×101.55	117.9×89.1	12H	RGB	No	Option	500	No	-20~70
320×240	SF57ETIACDNTO	5.7	141.12×101.55	117.9×89.1	12H	RGB	No	Option	350	RTP	-20~70
320×240	SF57ETIACDNGF	5.7	141.12×101.55	117.9×89.1	12H	RGB	No	Option	700	PCAP	-20~70
320×240	SF57YTIGCDNN0	5.7	141.12×101.55	117.9×89.1	12H	RGB	No	No	500	No	-20~70
320×240	SF57YTIGCDNTO	5.7	141.12×101.55	117.9×89.1	12H	RGB	No	No	350	RTP	-20~70
640×480	SF57FTLAFDNN0	5.7	125×98.8	117.5×88.7	6H	RGB	No	Option	500	No	-20~70
640×480	SF57FTLAFDNTO	5.7	127.14×100.9	117.5×88.7	6H	RGB	No	Option	210	RTP	-20~70
800×480	WF70A2TIAGDNN0	7	165×100	157×89.5	12H	RGB	ST-5623	No	400	No	-20~70
800×480	WF70A2TIAGDNTO	7	165×100	156.06×89.10	12H	RGB	ST-5623	No	250	RTP	-20~70
800×480	SF70HTIAGDNN0	7	165×104.8	155.3×94.3	12H	RGB	No	Option	460	No	-20~70
800×480	SF70HTIAGDNTO	7	165×104.8	155.3×94.3	12H	RGB	No	Option	320	RTP	-20~70
800×480	SF70HTIAGDNC0	7	165×104.8	155.3×94.3	12H	RGB	No	Option	350	PCAP	-20~70
800×480	SF70GTIAGDNN0	7	165×100	157×89.5	12H	RGB	No	Option	460	No	-20~70

[illegible]